

Priority

Work Order ID 156856

156856

Page 1

Wednesday, February 08, 2017 9:11:15 AM

Item ID: D3319-1
 Revision ID:
 Item Name: Forward Wearplate
 Start Date: 1/27/2017 Start Qty: 10.00
 Required Date: 2/8/2017 Req'd Qty: 10.00
 Reference:

Accept *N900040100* Setup Start *NS1*
 Stop *NS2*

Cust Item ID:
 Customer:

10
10

Approvals: Process Plan: DAS 21 9-89 Date FEB 09 2017 Tooling: Date:
 QC: Date: SPC (Y/N): Date:

Run Start *NR1*
 Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3319	C								
100	FLOW WATER JET	0.01							
100									
Waterjet	Memo	0.15							
FLOW CNC Waterjet	1-Cut as per Dwg D3319								
	Dwg Rev: <u>C</u>								
	Prog Rev: <u>C</u>								
	2-Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.02							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.03							
Quality Control									

12

DC 17/02/16

12

DC 17/02/16

12

DAS
38
9-89

FEB 17 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

156856

Wednesday, February 08, 2017 9:11:15 AM

N900040100

Setup Start *NS1*

Stop *NS2*

10

Cust Item ID:

10

Customer:

Reference:

Run Start *NR1*

Stop *NR2*

**Insp.
Stamp**

0.01

140

NC BRAKE

0.08

DAS
30
9-89

12

FEB 22 2017

Brake NC

Memo

1- Form using DT8326 & DT8261 as per Dwg D3319Rev: C
2- Form flat on press using DT8776 block

0.00

150

QC5- Inspect part completeness to step on W/O

0.03

12

DAS
38
9-89

FFR 22 2017

QC

Quality Control

Memo

0.00

160

Weld per dwg A/R Hardcoat steel Batch:

Large Fab

0.32

iz

DYK

1702/24

Large Fab

Memo

1- Layout weld location as per Dwg D3319 using jig D3319-1T3
2- Weld hard surface using DT8755 per QSI 004 and Dwg D3319 Rev: C

Qty	Part Number	Description	Batch
A/R	N/A	228/7560 Hardcoat Rod	MB5425

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Work Order ID 156856

Wednesday, February 08, 2017 9:11:15 AM

156856

Page 3

Item ID:	D3319-1	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:					Stop	*NS2*
Item Name:	Forward Wearplate					
Start Date:	1/27/2017	Start Qty:	10.00 *10*	Cust Item ID:		
Required Date:	2/8/2017	Req'd Qty:	10.00 *10*	Customer:		
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	*NR1*
	QC:	Date:	SPC (Y/N):	Date:		Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
170 *170* QC Quality Control	QC10- Inspect visual per QSI004- ground welds Memo	0.00 0.00				12			DAS 38 9-89 FEB 27 2017
180 *180* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.03				12			DAS 38 9-89 FEB 27 2017
190 *190* Powdercoat Powder Coating	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3 M134858 Memo START TIME: 7:10 AM OVEN TEMPERATURE: 376°F FINISH TIME: 7:40 PM	0.00 0.00				x12			all 17103102

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐									

Work Order ID 156856

Wednesday, February 08, 2017 9:11:15 AM

156856

Page 4

Item ID: D3319-1	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:				Stop	*NS2*
Item Name: Forward Wearplate					
Start Date: 1/27/2017	Start Qty: 10.00	*10*	Cust Item ID:		
Required Date: 2/8/2017	Req'd Qty: 10.00	*10*	Customer:		
Reference:					

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	*NR1*
	QC:	Date:	SPC (Y/N):	Date:		Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
200 *200* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.02				12			DAS 38 9-89 MAR 02 2017
210 *210* Packaging Packaging	Identify as per dwg & Stock Location: _____ Packaging Memo Identify on inside surface using a permanent fine point marker with the following: TCCA-PDA, Dart Aerospace Ltd. P/N: D3319-1, B/N: BXXXXX For Product Eligibility see PDA05-18 and Stock Location: <u>St603</u>	0.00 0.02				b			DAS 38 9-89 MAR 03 2017
220 *220* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.17							17/3/2 J

DAS
21
9-89

MAR 02 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, February 08, 2017 9:11:15 AM

Page 1

Work Order ID: 156856

156856

Parent Item: D3319-1

D3319-1

Parent Item Name: Forward Wearplate

Start Date: 1/27/2017

Required Date: 2/8/2017

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP: B05.10.14 Added step 9, dwg rev B KJ/EC
IPP Rev: C Now on Waterjet 06-10-26 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M1010S18GA

Purchased

No

100

sf

82.7500

0.628

6.610526

M1010S18GA

7.6

02/17/22/16

1010/1025 SHEET .048

Location

Loc Qty

Loc Code

MAT019

82.749952

m132886

2.95

m134083

2

m135612

5

m136036

8.8

m136340

64

5

2.6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐					

DART AEROSPACE LTD		Work Order: 156856
Description: Wearplate		Part Number: D3319-1
Inspection Dwg: D3319 Rev: C		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
4.98	+/-0.030	4.98	1		Visual	
1.60	+/-0.030	1.60	1		Tape	
2.660	+/-0.010		1			
3.190	+/-0.010		1			
3.563	+/-0.010		1			
4.71	+/-0.030	4.71	1			
0.60	+/-0.030	.60	1			
10.576	+/-0.010		1			
11.942	+/-0.010		1			
18.09	+/-0.030	18.09	1			
Ø0.316 x 0.546	+0.006/-0.001 x +/-0.010	Ø.315 x .545	1			
Ø0.316 x 0.670	+0.006/-0.001 x +/-0.010	Ø.315 x .668	1			
Ø0.190	+0.005/-0.001	Ø.192	1			
3.815	+/-0.010	3.815	1			
16.100	+/-0.010	16.100	1			

Measured by: DE
Date: 17/02/16

Audited by: DAS 38 9-88
Date: FEB 17 2017


Preliminary Approval:
Date:

Rev	Date	Change	Revised by	Approved
A	07.05.31	New Issue	KJ/JLM	
B	12.05.15	Dimensions updated per Dwg Rev C	KJ	




D3319-1F FLAT PATTERN


APPLY 7560 HARDCOAT WELD BEADS ON BOTTOM SURFACE AFTER FORMING SEE SECTION D-D A6-5




D3319-1 BENDING DETAIL
MAKE FROM D3319-1F




DETAIL A
SCALE 4X




SECTION D-D
SCALE 4X



SECTION E-E
SCALE 4X



DETAIL B
SCALE 4X



DETAIL C
SCALE 4X

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 156856 MJS
1702-09

D3319-1 WEARPLATE

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A368/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 18 GAUGE (0.048 THICK) REF. DART SPEC. M1010-S18GA
- 2) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY ON INSIDE SURFACE WITH "TCCA-PDA, DART AEROSPACE LTD., P/N D3319-1 B/N BXXXXX, FOR PRODUCT ELIGIBILITY SEE PDA05-18" PER DART QSI 044 6.1 (FINE POINT PAINT MARKER)
- 7) WEIGHT: 0.90 lbs APPROX
- 8) SYMMETRY: ABOUT CENTERLINE


RELEASE
2012-03-16
PER ECN 12-946 R12.03.16

C	UPDATE TO CURRENT STANDARDS IAW QSI 043; CLOSED AFT MOST HOLE ON -3/5-7 (REF DETAIL G); SEE NCR12-547.	MB	12.03.13
B	WIDEN HOLES, REDUCE WIDTH ON -3/5-7	PH	05.06.06
A	NEW ISSUE	PH	04.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN	PH		
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.03.13		


DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3319
TITLE WEARPLATE
REV. C
SHEET 1 OF 4
SCALE NTS


COPYRIGHT © 2004 BY DART AEROSPACE LTD
THIS DOCUMENT IS PROPERTY OF DART AEROSPACE LTD AND IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD




DETAIL K
SCALE 2X
B4-2
C4-3
C4-3




DETAIL F
SCALE 2X
B4-2
C4-3



DETAIL J
SCALE 2X
B4-2
C4-3



SECTION H-H
SCALE 4X
B4-2
C4-3
B4-3



DETAIL G
SCALE 2X
B4-2
C4-3
C

RELEASED
2012-02-16
P.12.03.16

DESIGN	PH	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3319	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	12.03.13	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			